




Les Entreprises Shemoi Enterprises Inc.

**FABRICANTS DE PRODUITS POUR ECLAIRAGE
MANUFACTURERS OF LIGHTING PRODUCTS**

274 Bates Rd., Mount-Royal, Quebec, H3S 1A3
Tel: 514.737.4040 • Fax: 514.737.2035 • Email: shemoi@shemoi.com • Web: www.shemoilighting.com

CATALOG 2015



Our Products



Canister Lighting

Page 1



Track & Display Lighting

Page 56



Down-Lights & Puck Lights

Page 16



Power Supplies

Page 64



Residence LED Lighting

Page 31



Switches & Accessories

Page 72



Strip Lighting

Page 34



Other Shemoi Products

Page 77



Linear Lighting

Page 40



LED Bulbs

Page 81



Curio Lighting

Page 52

Canister Lighting



A1



A1R



A1-HF



A1-HFR



A1HGL



A1HGL15 & A1HGL225



A2



A3



A4



A4R



A434



A5




A6



EA3

Model : A1
Recessed Canister Light




Mounting Options	Mounting Ring 	Wiring Options	Male 	Bulb Options	Incandescent R14
	Spring Clip 		M Male-Female 		R14 Halogen HR16
	Flange Screws 		MF Roll switch 		HHR16 LED HR16
	H	RS Roll Switch-Female 	RSF Push Switch 	LHR16D-M5 LED HR16 	
		PS Push switch-Female 	PSF	LHR16-LED5 	

Finish Options					
Antique Brass	Black	Brass	Chrome	Satin Chrome	White
AB	BL	BR	CH	SC	WH

C US

Model : A1R
Recessed Canister Light
with Reflector Socket



Mounting Options

Mounting Ring



Spring Clip



SC


Flange Screws



H

Wiring Options

Male



M




Male-Female

MF




Roll switch

RS




Roll Switch-Female

RSF



Push Switch

PS



Push switch-Female

PSF

Bulb Options

Incandescent S11



S11

Finish Options

Antique Brass



AB

Black



BL

Brass



BR

Chrome



CH

Satin Chrome



SC



White



WH



Models : **A1HF & A1HF-1**
Semi Recessed Canister Light



Mounting Options

Mounting Ring



Spring Clip




SC

Flange Screws



H

Wiring Options



Bulb Options

Incandescent R14



R14

Halogen HR16



HHR16

LED HR16



LHR16D-M5


LED HR16



LHR16-LED5

Finish Options

Black



BL

Brass



BR

Chrome



CH


White



WH



Models : A1HFR & A1HF-1R
Semi Recessed Canister Light
with Reflector Socket



Mounting Options

Mounting Ring



Spring Clip



SC


Flange Screws




H

Wiring Options



Male




M





MF




RS



RSF



PS



PSF

Bulb Options

Incandescent S11



S11

Finish Options

Black



BL

Brass



BR

Chrome



CH


White



WH



Models : **A1HGL**
 Recessed Canister Light



Mounting Options

Mounting Ring



Spring Clip



SC


Flange Screws



H

Wiring Options

Male








M



Male-Female

MF



Bulb Options

Halogen Par20



Par20

LED Par20



LPAR20M6

LED Par20



LPAR20-LED6

Finish Options

Antique Brass

AB

Black

BL

Brass

BR

Chrome

CH

Satin Chrome


SC
















White

WH







Models : **A1HGL15 & A1HGL225H**
Semi Recessed Canister Light



Mounting Options	 Mounting Ring	Wiring Options	 Male M	Bulb Options	 Halogen Par20
	 Spring Clip SC		 Male-Female MF		 Par20
	 Flange Screws H		 Roll switch RS		 LED Par20
			 Roll Switch-Female RSF	 LPAR20M6	
			 Push Switch PS	 LED Par20	
			 Push switch-Female PSF	 LPAR20-LED6	


Finish Options

 Black BL	 Brass BR	 Chrome CH	 White WH
--	--	---	--



Model : **A2**

Wide Flange Recessed Canister Light



Mounting Options

Mounting Ring




Spring Clip



SC

Wiring Options



Bulb Options

Incandescent R14



R14


Finish Options

Black



BL

Brass



BR

Chrome



CH


White



WH



Model : A3
 Recessed Canister Light with Gimbal



Mounting Options

Mounting Ring



Spring Clip



SC


Flange Screws




H

Wiring Options

Male




M




Male-Female

MF




Roll switch

RS



Roll Switch-Female

RSF



Push Switch

PS



Push switch-Female

PSF

Bulb Options

Incandescent R14



R14


Finish Options

Black



BL

Brass



BR

Chrome



CH


White



WH



Model : A4
 Recessed or Semi-Recessed
 Canister Light



Add-on, Snap-in
 Flange Available in:

- Antique Brass
- Black
- Brass
- Chrome
- Satin Chrome
- White



Mounting Options

Mounting Ring

Linking Options

2 Light Chain
 A4-2

3 Light Chain
 A4-3

Wiring Options

Male
 M

Male-Female
 MF

Roll switch
 RS

Roll Switch-Female
 RSF

Push Switch
 PS

Push switch-Female
 PSF

Bulb Options

Incandescent R14

R14
 Halogen HR16

HHR16
 LED HR16

LHR16D-M5
 LED HR16

LHR16-LED5


Finish Options

Black BL	Brass BR	Chrome CH	White WH
-------------	-------------	--------------	-------------



Model : A4-R

Recessed or Semi-Recessed
Canister Light with Reflector Socket



Add-on, Snap-in
Flange Available in:

- Antique Brass
- Black
- Brass
- Chrome
- Satin Chrome
- White



Mounting Options

Mounting Ring

Linking Options

2 Light Chain
A4-2

3 Light Chain
A4-3

Wiring Options

Male
M

Male-Female
MF

Roll switch
RS

Roll Switch-Female
RSF

Push Switch
PS

Push switch-Female
PSF

Bulb Options

Incandescent S11


S11

Finish Options

Black BL	Brass BR	Chrome CH	White WH
-------------	-------------	--------------	-------------



Model : A434
 Recessed or Semi-Recessed
 Canister Light



Add-on, Snap-in
 Flange Available in:

- Antique Brass
- Black
- Brass
- Chrome
- Satin Chrome
- White



Mounting Options

Linking Options

2 Light Chain
 A4-2

3 Light Chain
 A4-3

Wiring Options

Male
 M

Male-Female
 MF

Roll switch
 RS

Roll Switch-Female
 RSF

Push Switch
 PS

Push switch-Female
 PSF

Bulb Options

Halogen Par20

Par20

LED Par20

LPAR20M6

LED Par20

LPAR20-LED6

Finish Options

Black
 BL


Brass
 BR

Chrome
 CH

White
 WH



Model : A5
 Recessed Canister Light with Gimbal



Mounting Options

Mounting Ring



Spring Clip



SC


Flange Screws



H

Wiring Options


Male




M





MF





Roll Switch-Female



Push Switch



Push switch-Female



PSF

Bulb Options

Halogen Par20



Par20

LED Par20



LPAR20-LED6

Finish Options

Black



BL

Brass



BR

Chrome



CH

White




WH

Available in HardWire version for Recessed Ceilings



Models : **A6**
Slim Recessed Canister Light




Mounting Options

Flange Screws



H

Wiring Options



RSF

Bulb Options

Incandescent R14



R14

Halogen HR16



HHR16

LED HR16-2




LHR162

Finish Options


Black

BL

Requires same Cut-Out Hole as our **TOR** Puck Light



Models : **EA3**
 Recessed Light Fixture with Gimbal



Finish Options

- Chrome
CH
- Brass
BR

Wiring Options


- Roll switch
RS
- Roll Switch-Female
RSF

Bulb Options

- Incandescent S11
S11



Down-Lights & Puck Lights



T2R



T2S



TER



TOR



TDR



T1R



T1S



T1CR & T2CR



3NGLTOR



T07



TNLED25



LED9SQ




CC7 & CLED7



L2R

Model : **T2R**
Round Recessed Spot Light



Power Supply Options

- Transformer in Metal Enclosure
- ECL
- W Style Transformer
- W
- WH Transformer
- WH
- 1A LED Transformer
- EDRI-1A
- 2A LED Transformer
- EDRI-2A
- 4A LED Transformer
- EDRI-4A

Finish Options


- Black
- BL
- Brass
- BR
- Chrome
- CH
- White
- WH

Bulb Options

- Halogen MR16
- MR16
- LED MR16
- LMR16-LED5



Model : **T2S**
Square Recessed Spot Light



Power Supply Options

Transformer in Metal Enclosure



ECL

W Style Transformer



W

WH Transformer



WH

1A LED Transformer



EDRI-1A

2A LED Transformer



EDRI-2A

4A LED Transformer



EDRI-4A

Finish Options

Black

BL

Brass

BR

Chrome

CH

White

WH

Bulb Options

Halogen MR16



MR16


LED MR16



LMR16-LED5



Model : **TER**
 Recessed or Surface Mounted
 Puck Light with Twist-Off Cover



Power Supply Options

- Transformer in Metal Enclosure
- ECL
- W Style Transformer
- W
- WH Transformer
- WH
- 1A LED Transformer
- EDRI-1A
- 2A LED Transformer
- EDRI-2A
- 4A LED Transformer
- EDRI-4A

Finish Options


- Antique Brass
- AB
- Black
- BL
- Brass
- BR
- Chrome
- CH
- Satin Chrome
- SC
- White
- WH

Bulb Options

- Halogen G4
- G4
- 4 LED Disc
- LED4
- 12 LED Disc
- LED12



Model : TOR
 Recessed or Surface Mounted
 Puck Light



Power Supply Options

- Transformer in Metal Enclosure
ECL
- W Style Transformer
W
- WH Transformer
WH
- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Finish Options


- Black
BL
- Brass
BR
- Chrome
CH
- Satin Chrome
SC
- White
WH

Bulb Options













- Halogen G4
G4
- 4 LED Disc
LED4
- 12 LED Disc
LED12
- 24 LED SMD
SMD








Model : **TDR**
 Recessed or Surface Mounted
 Puck Light with Gimbal



Power Supply Options

- Transformer in Metal Enclosure

 ECL 
- W Style Transformer

 W 
- WH Transformer

 WH 
- 1A LED Transformer

 EDRI-1A 
- 2A LED Transformer

 EDRI-2A 
- 4A LED Transformer

 EDRI-4A 

Finish Options

- Black

 BL
- Brass

 BR
- Chrome

 CH
- Satin Chrome

 SC
- White

 WH

Bulb Options

- Halogen G4

 G4
- 4 LED Disc


 LED4
- 12 LED Disc

 LED12
- 24 LED SMD

 SMD



Model : T1R
 Recessed or Surface Mounted
 Puck Light with Snap-Off Glass



Power Supply Options

- Transformer in Metal Enclosure
ECL
- W Style Transformer
W
- WH Transformer
WH
- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Finish Options

- Black
BL
- Brass
BR
- Chrome
CH
- White
WH



Bulb Options

- Halogen G4
G4
- 4 LED Disc
LED4
- 12 LED Disc
LED12



Model : T1S

Square Recessed or Surface Mounted
Puck Light with Snap-Off Glass



Power Supply Options

- Transformer in Metal Enclosure
ECL
- W Style Transformer
W
- WH Transformer
WH
- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Finish Options


- Black
BL
- Brass
BR
- Chrome
CH
- White
WH

Bulb Options

- Halogen G4
G4
- 4 LED Disc
LED4
- 12 LED Disc
LED12



Models : T1CR & T2CR
 Recessed or Surface Mounted
 Puck Light with Dome Glass



Power Supply Options

- Transformer in Metal Enclosure
ECL
- W Style Transformer
W
- WH Transformer
WH
- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Glass Dome Options

Clear Smooth T1CR-C	Clear Ridges T2CR-C
Frosted Smooth T1CR-F	Frosted Ridges T2CR-F
Red Smooth T1CR-R	Red Ridges T2CR-R
Green Smooth T1CR-G	Green Ridges T2CR-G
Blue Smooth T1CR-B	Blue Ridges T2CR-B


Bulb Options

- Halogen G4
G4
- 4 LED Disc
LED4B

Finish Options

Black BL	Brass BR	Chrome CH	White WH
-------------	-------------	--------------	-------------

Model : **3NGLTOR**
Triangle Surface Mounted Light



Power Supply Options

Transformer in Metal Enclosure



ECL

W Style Transformer



W

WH Transformer



WH

1A LED Transformer



EDRI-1A

2A LED Transformer



EDRI-2A

4A LED Transformer



EDRI-4A

Finish Options

Satin Chrome

SC



Bulb Options

Halogen G4



G4

4 LED Disc




QUADLED

12 LED Disc



LED12

Model : T07
 Recessed or Surface Mounted
 Puck Light



Power Supply Options

- Transformer in Metal Enclosure
- ECL
- W Style Transformer
- W
- WH Transformer
- WH
- 1A LED Transformer
- EDRI-1A
- 2A LED Transformer
- EDRI-2A
- 4A LED Transformer
- EDRI-4A

Finish Options


- Brass
- BR
- Chrome
- CH
- White
- WH

Bulb Options

- Halogen G4
- G4
- 4 LED Disc
- LED4
- 9 LED Disc
- LED9
- 24 LED SMD
- SMD



Model : **TNLED25**
LED Surface Mounted Puck Light



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features



Light Color	Cool White
Volts	DC 12V
Watts	2w

Finish Options

Antique Brass	Black	Brass	Chrome	Satin Chrome	White
AB	BL	BR	CH	SC	WH



Models : **LED9SQ**
LED Square Surface Mounted Light



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features

Light Color	Cool White or Warm White
Lumen	100
Viewing angle	120°
Volts	DC 12V
Watts	2w


Finish Options

Antique Brass	Black	Brass	Chrome	Satin Chrome	White
AB	BL	BR	CH	SC	WH

➤ See Page 61 for this Product with a Display Mounting Bracket



Models : **CC7** & **CLED7**
LED Surface Mounted Puck Light




▶ 10' Power Supply Cord with in-line Roll Switch



Finish Options

Black



BL

Chrome



CH

White



WH

Bulb Options

Fluorescent GX53



CC7


LED GX53



CLED7



Models : **L2R**
LED Recessed Mounted Light



Power Supply Options

1A LED Transformer



EDRI-1A



Features

Light Color	Cool White
Lumen	270
Viewing angle	140°
Volts	30V
Watts	3w

Finish Options

Chrome



CH

Satin Chrome

SC



Residence LED Lighting





CB01



BLHO

Model : **CB01**
LED Closet Bar



➤ Standard sizes: 2ft, 3ft, 4ft
Custom Sizes Available



Model : **BLHO**
LED Bed Light



Flexible Arm For Easy Direction

On-Lo-Hi-Off Switch

➤ DC 12v

➤ Hi - 3w / Lo - 1w

Easy Mounting to Wall or Headboard

USB Charging




Strip Lighting



WFLX-12



ALL-12



LS6



ADJ-1MFLX



SPO-FLX

Model : **WFLX**
LED Flexible Strip Light



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features	Light Color	Cool White, Warm White or Adjustable RGB
	Viewing angle	120°
	Volts	12V
	Watts	2.4w

Accessories

6", 12" & 42" Links FW6, FW12, FW42	Mounting Brackets MB	T, X & L LED Links WFLX-T, WFLX-X, WFLX-L	Controller for RGB Model
--	-----------------------------	--	------------------------------

➤ Strip can be cut at end of every 3rd LED at indicated markings



➤ Peel & Stick or Mounting Bracket Installation

➤ Wi-Fi Enabled Controller Available for RGB Model



Model : **ALL-12**
LED Enclosed Strip Light



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features	Light Color	Cool White, Warm White or Adjustable RGB
	Viewing angle	120°
	Volts	12V
	Watts	2.4w


Accessories

<p>6", 12" & 42" Links</p> <p>FW6, FW12, FW42</p>	<p>Mounting Brackets Option 1</p> <p>MB-1</p>	<p>Mounting Brackets Option 2</p> <p>MB-2</p>	<p>Controller for RGB Model</p>
---	---	---	---------------------------------

➤ **Wi-Fi Enabled Controller Available for RGB Model**



Model : **LS6**
LED Covelite Light



Power Supply Options


- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features	Light Color	Cool White
	Viewing angle	120°
	Volts	12V
	Watts	1w

- 6", 12", 24", 36" & 48" Links Available
- Peel & Stick or Screw Hole Mounting



Model : ADJ-1MFLX
 Warm white to Cool White
 Adjustable LED Strip Light



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features	Light Color	Adjustable Warm White to Cool white
	Viewing angle	120°
	Volts	12V
	Watts	9.6w per Meter

Accessories

6" & 24" Links

 FW6, FW24


Mounting Brackets

 MB

Controller for Light Color Temperature

- ▶ Wi-Fi Enabled Controller Available
- ▶ Peel & Stick or Mounting Bracket Installation

Model : **SPO-FLX**
LED Flexible Cut-to-Length
Strip Light



5m x 10mm



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features	Light Color	Cool White, Warm White, Red or Blue
	Viewing angle	120°
	Volts	12V
	Watts	4.8w per Meter

Accessories

6", 12" & 24" Links


FW-6, FW-12, FW-24

Mounting Brackets

MB

Straight & L shaped Direct Connectors

- Strip can be cut following Cut Lines
- Peel & Stick or Mounting Bracket Installation
- Sold by Meter



Linear Lighting



SL



SL-P



TF



YW




SF



SL-LED



PSF5



SL-W



UCVT




AL



UC21C

Series : **SL**
Portable Light Stick




Model	Bulb Type	Wattage	Color	Light Color	Length
SL-800	F8T5	8W	White	Cool White	15.75"
SL-800B	F8T5	8W	Black	Cool White	15.75"
SL-1500	F15T8	15W	White	Cool White	21.5"
SL-1500B	F15T8	15W	Black	Cool White	21.5"
SL-2000	F20T9	20W	White	Cool White	27.5"
SL-2000B	F20T9	20W	Black	Cool White	27.5"
SL-3000	F30T12	30W	White	Cool White	39.5"
SL-3000B	F30T12	30W	Black	Cool White	39.5"
SL-4000	F40T12	40W	White	Cool White	51.5"
SL-4000B	F40T12	40W	Black	Cool White	51.5"

➤ 10' Power Supply Cord



Series : **SL-P**
Slim Pivoting Fluorescent
Light Stick




Model	Bulb Type	Wattage	Color	Light Color	Length
SL-P-601	F6T5	6W	White	Cool White	12"
SL-P-601B	F6T5	6W	Black	Cool White	12"
SL-P-801	F8T5	8W	White	Cool White	15"
SL-P-801B	F8T5	8W	Black	Cool White	15"
SL-P-1301	F13T5	13W	White	Cool White	24"
SL-P-1301B	F13T5	13W	Black	Cool White	24"
SL-P-2101	F21T5	21W	White	Cool White	38"
SL-P-2101B	F21T5	21W	Black	Cool White	38"
SL-P-2801	F28T5	28W	White	Cool White	48"
SL-P-2801B	F28T5	28W	Black	Cool White	48"

➤ 10' Power Supply Cord

➤ Pivoting Mounts



Series : **TF**
Slim Fluorescent Light Stick



Model	Bulb Type	Wattage	Current	Light Color	Color	Length
TF-6	T4	6W	.14A	Cool White	White	10.75"
TF-6B	T4	6W	.14A	Cool White	Black	10.75"
TF-10	T4	10W	.18A	Cool White	White	15.5"
TF-10B	T4	10W	.18A	Cool White	Black	15.5"
TF-16	T4	16W	.20A	Cool White	White	20.5
TF-16B	T4	16W	.20A	Cool White	Black	20.5
TF-20	T4	20W	.20A	Cool White	White	24.4375"
TF-20B	T4	20W	.20A	Cool White	Black	24.4375"

➤ 10' Power Supply Cord

➤ Available links:
6", 12", 24", 48"

➤ Available with
Hard-Wire Box



Series : **YW**
Super Slim Light Stick




Model	Bulb Type	Wattage	Color	Light Color	Length
YW8W	T4	8W	White	Cool White	13.5"
YW12W	T4	12W	White	Cool White	17.5"
YW16W	T4	16W	White	Cool White	19.25"
YW20W	T4	20W	White	Cool White	21"
YW22W	T4	22W	White	Cool White	29"
YW22WB	T4	22W	Black	Cool White	29"
YW24W	T4	24W	White	Cool White	34.5"
YW24WB	T4	24W	Black	Cool White	34.5"
YW28W	T4	28W	White	Cool White	46.25"
YW28WB	T4	28W	Black	Cool White	46.25"
YW35W	T4	35W	White	Cool White	47.625"

➤ 10' Power Supply Cord

➤ Available links:
6", 12", 24", 36", 48"



Series : **SF**
T5 Fluorescent Light Stick




Model	Bulb Type	Wattage	Light Color	Color	Length
SF-8	T5	8W	Cool White	White	13.5"
SF-8B	T5	8W	Cool White	Black	13.5"
SF-13	T5	13W	Cool White	White	22.5"
SF-13B	T5	13W	Cool White	Black	22.5"
SF-13BLB	T5	13W	Black Light	Black	22.5"
SF-21	T5	21W	Cool White	White	35.625
SF-21B	T5	21W	Cool White	Black	35.625
SF-21BLB	T5	21W	Black Light	Black	35.625
SF-28	T5	28W	Cool White	White	47.5"
SF-28B	T5	28W	Cool White	Black	47.5"

➤ 10' Power Supply Cord

➤ Available links:
6", 12", 24", 36", 48"



Series : **SL-LED**
Slim LED Light Stick




Model	Bulb Type	Wattage	Color	Light Color	Length
SL-LED-3	LED	2.4W	White	Cool White	10.5"
SL-LED-4	LED	3.6W	White	Cool White	13.5"
SL-LED-8	LED	7.6W	White	Cool White	23.75"

➤ 10' Power Supply Cord

➤ Available links:
6", 12", 24", 36", 48"



Series : **PSF5**
Swivel Fluorescent
Light Fixture





Model	Bulb Type	Wattage	Light Color	Color	Length
PSF-8	T5	8W	Cool White	Black	13.5"
PSF-13	T5	13W	Cool White	Black	22.75"
PSF-21	T5	21W	Cool White	Black	36"
PSF-28	T5	28W	Cool White	Black	58"

➤ 10' Power Supply Cord

➤ Linkable



Series : **SL-W**
 Low Profile Fluorescent
 Light Fixture




Model	Bulb Type	Wattage	Color	Light Color	Length
SL-120	F8T5	8W	White	Cool White	12"
SL-240	2-F825	16W	White	Cool White	24"
SL-330	1-F8T5/1-F13T5	21W	White	Cool White	33"
SL-420	2-F13T5	26W	White	Cool White	42"

➤ 10' Power Supply Cord

➤ Hardwiring components included



Series : **UCVT**
Fluorescent light Fixture




Model	Bulb Type	Wattage	Light Color	Color	Length
UCVT-24	T8	17W	Cool White	Black	24.3"
UCVT-36	T8	25W	Cool White	Black	36.3"
UCVT-48	T8	32W	Cool White	Black	48.3"

➤ 10' Power Supply Cord

➤ Optional hardwire



Series : **AL**
 Low Profile Slim
 Incandescent Accent Lights



Model	Bulb Type	Wattage	Light Color	Length
AL-10	Incandescent	7.5W	Warm White	10"
AL-20	Incandescent	15W	Warm White	20"
AL-30	Incandescent	22.5W	Warm White	30"
AL-40	Incandescent	30W	Warm White	40"

Finish Options


Black BL	Brass BR	Chrome CH	White WH
-------------	-------------	--------------	-------------

➤ 10' Power Supply Cord
with in-line Roll Switch


➤ Slide Off Plug



Model : **UC-21c**
Halogen Light Fixture




Glass Dome Options

<p>Clear Smooth</p>  <p>T1CR-C</p>	<p>Clear Ridges</p>  <p>T2CR-C</p>
<p>Frosted Smooth</p>  <p>T1CR-F</p>	<p>Frosted Ridges</p>  <p>T2CR-F</p>
<p>Red Smooth</p>  <p>T1CR-R</p>	<p>Red Ridges</p>  <p>T2CR-R</p>
<p>Green Smooth</p>  <p>T1CR-G</p>	<p>Green Ridges</p>  <p>T2CR-G</p>
<p>Blue Smooth</p>  <p>T1CR-B</p>	<p>Blue Ridges</p>  <p>T2CR-B</p>

➤ 2X G4 Halogen Bulbs



Curio Lighting



PL



C1 & C5



C3




C2




TL15

Model : **PL**
Fluorescent Fixture




Wiring Options

Male




M

Roller Switch



RS

Push switch



PS

Bulb Options

White Fluorescent PL



PL

Red Fluorescent PL



PLR

Green Fluorescent PL



PLG

Blue Fluorescent PL




PLB


➤ Available in 9w and 13w



Models : **C1, C5 & C3**
Single or Double Curio Light



Wiring Options




➤ C1 & C5 Available with a Reverse Bracket for Upward Lighting


➤ C1 & C5 Available in Brown or White
C3 Available in Brass or Antique Brass



Model : **C2**
Low Profile Slim
Incandescent Accent Lights



Model : **TL15**
Side Mounting Tulip Light



Mounting Options

Screw Holes



TL-H

Side Mount



TL-S

Bulb Options

15W R14-S11



I



➤ 10' Brown Polarized Plug

Track & Display Lighting



AT-ADJ



MT-21-2



DP-201



JPIL



LED9SQ-BSF



GLCLP3



GLSTR

Model : AT-ADJ
Adjustable Track Light System



Power Supply Options

- Transformer in Metal Enclosure
ECL
- W Style Transformer
W
- WH Transformer
WH
- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Bulb Options

Halogen MR16 MR16	LED MR16 LMR16-LED5
--------------------------	----------------------------

Multiple Track-Head Options

Floating Power Supply

Mounting Bracket

3" End Tension
1" Adjustment on each end

7" End Tension
4" Adjustment on each end

End Cap


End Power Supply



Model : **MT-21-2**
Mini Track Light Kit



➤ Available in White or Black



➤ Optional Add-on Tracks and Flexible Heads

➤ Available in Black or White



Model: **DP-201**
Expandable Display Light



Bulb Options

Halogen MR16



MR16

LED MR16



LMR16-LED5


➤ 10' Power Supply Cord
with In-Line Switch

➤ Detachable Adapter Style
Transformer

➤ Overload & short-Circuit
Protection



Model : **JPIL**
Just Pin It Lights



Power Supply Options

- Transformer in Metal Enclosure
ECL
- W Style Transformer
W
- WH Transformer
WH
- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Bulb Options

Halogen MR16



MR16


LED MR16



LMR16-LED5



Model : **LED9SQ-BSF**
LED Square Display Light



Power Supply Options

- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A


Features

Light Color	Cool White or Warm White
Lumen	100
Viewing angle	120°
Volts	DC 12V
Watts	2w

Finish Options

Antique Brass	Black	Brass	Chrome	Satin Chrome	White
AB	BL	BR	CH	SC	WH

Model : **GLCLP3**
Glass Shelf LED Clip Light



Power Supply Options


- 1A LED Transformer
EDRI-1A
- 2A LED Transformer
EDRI-2A
- 4A LED Transformer
EDRI-4A

Features	Light Color	Warm White, Red or Blue
	Color	Chrome or Grey
	Volts	12V
	Watts	.25w per Meter



➤ Suitable for 4mm to 8mm Glass Shelves

Model : **GLSTR**
Glass Shelf LED Light Strip



Model	No. of LEDs	Wattage	Light Color	Lumens	Length
GLSTR-21	21	1.68W	Warm White	40	417mm
GLSTR-30	30	2.4W	Warm White	50	567mm

Power Supply Options

1A LED Transformer



EDRI-1A

2A LED Transformer




EDRI-2A

4A LED Transformer



EDRI-4A



➤ Suitable for 4mm to 8mm Glass Shelves

Power Supplies



PS3-2F



PS3-2U



PB3-2U



PB6-2U



PB6-SA



PB6



WPB3-TT



WPB4-TT



WPBC-2



WQM022



RTC25T-WU



WPC52T



DPB

Model : PS3-2F
Round Power Station
with 2X RJ11/RJ45
Connections

10' Power Cord

3 Grounded Outlets

2 combo style Jacks
 Universal for both RJ45 &
 RJ11 Connections

106mm

UL c UL US

➤ Easy Mounting ➤ can adapt to any Desk
 or Conference Table

Model : PS3-2U
Round Power Station
with 2X USB 2.1A

10' Power Cord
 with Flat Plug

Combo style Jack
 Universal for both RJ45
 & RJ11 Connections

3 Grounded Outlets

Dual Powered USBs 2.1A
 Actual Model of USB Power Supply May Vary

106mm

UL c UL US

➤ Easy Mounting ➤ can adapt to any Desk
 or Conference Table


Model : **PB3-2U**
Power Bar with 2 USB Ports

10' Power Cord with 90° Plug



2 Powered USB Ports

3 Grounded Outlets





Model : **PB6-2U**
Power Bar with 2 USB Ports

10' Power Cord with 90° Plug





6 Grounded Outlets

2 Powered USB 2.1A Ports





Model : **PB6-SA**
6 Outlet Power Bar




➤ Available in Black or White


Model : **PB6**
Power Bar with Surge Protection

3' Cord with 90° Plug








Model : WPB3-TT
2X Telephone or Modem
Power Harness




Model : WPB4-TT
2X Telephone or Modem
Power Harness



Model : **WPBC-2**
Power Harness
with Coaxial Cable




Model : **WQM022**
Power Harness
with Coaxial Cable






Models : **RTC25T-WU**
& RTC25T-NU
 Computer Station
 Power Harness



➤ 5 Outlets with Individual switches
 Available with or without USB hub




Model : **WPC52T**
 Recessed Mounted
 Power Harness



➤ 5 Outlets with Individual switches



Series : **DPB**
Deluxe Power Bar






2 Grounded Outlets





2 Additional plugs Controlled by Switch



Switch Options


Rotary Switch  B1	Dimmer Switch  B2	Push Switch  B4
--	--	--

Outlet Options

2 False Outlets  BB	1 Phone Jack 1 False Outlet  TB	1 Cable Jack 1 False Outlet  CB	1 Cable Jack 1 Phone Jack  TC
--	---	---	---



Switches & Accessories



110-MF



2605N



B1




B2



B3



B4



TD620



MS-1P



EZ-6

Series : **110-MF**

Dimmer, Rocker or Roll Switch
On a 10' Extension Cord




110-MF-D




110-MF-RKS



110-MF-RS



Model : **2605N**
Add an Outlet




➤ Add an Outlet to any existing plug Wire


1



2




3




4






B1-4F

B1-2F



B1-4F

Model : B1
Rotary Switch



B1 & B1-2F

➤ Available with 1, 2 or 4 Female Plugs


➤ Switches Available in Brass or Nickel




➤ LED Version Available



Model : B2
Dimmer Switch




Model : B3
Momentary Switch




B4-4F

B4



B4-4F



B4 & B4-2F

Model : B4
Push Switch

➤ Available with 1, 2 or 4 Female Plugs


➤ Switches Available in Brass or Nickel




➤ ON-Off Only or LED Versions Available



Model : TD620
Touch Dimmer Switch



Model : MS-1P
Motion Sensor




Features	Rated Voltage	120V AC 60Hz
	Power	200w max
	Detection range	360°(Horizontal); 180°(Vertical); 240°(45° Angle)
	Detection Distance	6 Meters Max
	Time Setting	10 Seconds or 5 Minutes
	Color	White

➤ Energy saving

➤ 4 Minute Built-In Timer



Model : **EZ-6**
Class2 Wiring Compartment



- Easy Installation
- Compact Size
- Lowest installation Costs
- Dimmable with Standard Dimmer
- Output Terminal Block
- 300W 12V
- 6 Output Circuits
- 6-5 Amp Resettable Circuit Breakers
- Overload Protection on Primary
- Overload Protection on Secondary



Other Shemoi Products



RP




ML



TSK-50G

Series : **RP**
Rope Light



Accessories

Power Cord



Connector



Slice Connector



Mounting Clips




End Cap



➤ Available in 150' & 30' Lengths



Model : **ML**
MusicLite by Sylvania



USB Transmitter



Universal Transmitter



APL Transmitter



Remote



Transmitter Charger

➤ The MusicLite is an amazing combination of efficient 10-watt LED light, loudspeaker and a wireless audio receiver which is compatible with any audio source, such as USBs, smart-phones and portable audio devices. MusicLites fit into four, five or six inch recessed cans, providing light output similar to a 65-watt incandescent bulb. Install a MusicLite in any light socket and enjoy high quality light and sound from a seemingly invisible source.




➤ 2.75" High Fidelity Loudspeaker with 100 Hz 20 kHz Frequency Response


➤ 500 Lumens Medium Base 3000k 10-watt LED Bulb



Model : **TSK-50G**
120V Halogen Task Light



Self Tapping Mounting Screws



High-Low-Off Switch

Glass Lens

Cord & Plug



**LED
PAR20**



**PAR38
LED**



**LED
HR16**



**LED
GU10**



LED
REPLACEMENT
BULBS
FOR
RETRO-FITTING

**A19
LED**



**LED
CANDELABRA**



LED MR16

